

Publications related to antimicrobial susceptibility testing by G.Kronvall et al.

1. Kronvall G, Runehagen A. [Improved bacterial resistance testing by a standardized SIR-system]. [Swedish] Förbättrad känslighetsbedömning av bakterier medelst artrelaterat SIR-system. *Läkartidningen* 1981; 78(40):3483-3485.
Ref ID: 84
2. Kronvall G. Analysis of a single reference strain for determination of gentamicin regression line constants and inhibition zone diameter breakpoints in quality control of disk diffusion antibiotic susceptibility testing. *J Clin Microbiol* 1982; 16:784-793.
Ref ID: 93
3. Kronvall G. Single-strain regression analysis for determination of interpretive breakpoints for cefoperazone disk diffusion susceptibility testing. *J Clin Microbiol* 1983; 17:975-980.
Ref ID: 106
4. Kronvall G. Determination of breakpoints for MIC limits in piperacillin disk diffusion susceptibility testing using single strain regression analysis. In: *Piperacillin, a penicillin for serious infections*. Nordbring F, editor. Amsterdam: Excerpta Medica; 1983. 22-25.
Ref ID: 107
5. Kronvall G. Single strain regression analysis. New method for determination of laboratory- and species-specific interpretive breakpoints for improved accuracy of the disk diffusion antibiotic susceptibility test. In: *Proceedings of the 13th Int. Congr. Chemother.* Spitzky KH, Karrer K, editors. Vienna: 13th Int. Congr. Chemother.; 1983. 18-21.
Ref ID: 108
6. Kronvall G, Petersson AC, Ljunggren K, Soltesz V. Single-strain regression analysis for quality control of cephalothin-susceptibility testing and determination of interpretive breakpoints. *Acta path microbiol immunol scand Sect B* 1984; 92:13-22.
Ref ID: 116
7. Forsberg P, Petersson AC, Kronvall G. Determination of species- and laboratory-related interpretive breakpoints for doxycycline susceptibility testing using single-strain regression analysis. *Acta path microbiol immunol scand Sect B* 1985; 93:53-60.
Ref ID: 123

8. Petersson AC, Kronvall G. Determination of interpretive breakpoints for ceftazidime disc-diffusion susceptibility testing using single-strain regression analysis. *Acta path microbiol immunol scand Sect B* 1985; 93:289-296.
Ref ID: 124
9. Dornbusch K, Bengtsson S, Brorson JE, Fritz H, Henning C, Kronvall G et al. Susceptibility to Beta-lactam Antibiotics and Gentamicin of Gram-negative Bacilli Isolated from Hospitalized Patients: A Swedish Multicenter Study. *Scand J Infect Dis* 1988; 20:641-647.
Ref ID: 134
10. Kronvall G, Ringertz S, Karlsson I, Göransson E, Dornbusch K. Laboratory- and Species-Specific Interpretive Breakpoints for Disk Diffusion Tests of Chloramphenicol Susceptibility of *Haemophilus influenzae*. *Antimicrobial Agents and Chemotherapy* 1988; 32:1484-1489.
Ref ID: 138
11. Kronvall G, Ringertz S. Standard curve regression analysis. Bestämning av art- och laboratoriespecifika brytpunkter. In: *Nya aspekter på erythromycin. Report on a workshop on erythromycin.* Forsgren A, editor. Stockholm: Abbott Scandinavia AB; 1988. 35-37.
Ref ID: 139
12. Ringertz S, Kronvall G. On the theory of the disk diffusion test. Evidence for a non-linear relationship between critical concentration and MIC, and its practical implications for susceptibility testing of *Haemophilus influenzae*. *APMIS* 1988; 96:484-490.
Ref ID: 142
13. Björklind A, Ringertz S, Kronvall G. Types of interpretive errors in susceptibility testing. Zone breakpoints for norfloxacin disk diffusion testing. *APMIS* 1989; 97:941-948.
Ref ID: 143
14. Dornbusch K, Kronvall G, Göransson E, Mörtzell E. Comparative in-vitro activity of the penem FCE 22101 against recent European blood culture isolates. *J Antimicrob Chemother Suppl C* 1989; 23:43-52.
Ref ID: 144
15. Dornbusch K, Kronvall G, Göransson E, Mörtzell E. In vitro activity of FCE 22101 against respiratory tract pathogens with reference to production of Beta-lactamases. *J Antimicrob Chemother Suppl C* 1989; 23:31-41.
Ref ID: 145
16. Ringertz S, Björklind A, Kronvall G. Species-Specific Interpretive Breakpoints for Ciprofloxacin Disk Diffusion Susceptibility Testing. *Scand J*

Infect Dis Suppl 1989; 60:46-53.
Ref ID: 147

17. Ringertz S, Olsson-Liljequist B, Kronvall G. Antimicrobial susceptibility testing of *Haemophilus influenzae*. Improvement of accuracy of the disc diffusion test. *Journal of Antimicrobial Chemotherapy* 1990; 26:479-489.
Ref ID: 150
18. Kronvall G, Ringertz S, Nyström S, Rylander M, Theodorsson E. Comparison of 30 µg and 120 µg gentamicin disks for the prediction of gentamicin resistance in *Enterococcus faecalis*. *APMIS* 1991; 99(10):887-892.
Ref ID: 153
19. Kronvall G, Ringertz S. Antibiotic disk diffusion testing revisited: Single strain regression analysis. Review article. *APMIS* 1991; 99:295-306.
Ref ID: 154
20. Ringertz S, Rylander M, Kronvall G. Disk diffusion method for susceptibility testing of *Neisseria gonorrhoeae*. *J Clin Microbiol* 1991; 29(8):1604-1609.
Ref ID: 155
21. Ringertz S, Olsson-Liljequist B, Kahlmeter G, Kronvall G. Antimicrobial Susceptibility Testing in Sweden. II. Species-related Zone Diameter Breakpoints to Avoid Interpretive Errors and Guard Against Unrecognized Evolution of Resistance. *Scandinavian Journal of Infectious Diseases* 1997; Supplement 105:8-12.
Ref ID: 172
22. Kronvall G. Improving the accuracy of disc diffusion antibiotic susceptibility testing using species-related interpretive zone breakpoints. *Indian Journal of Medical Microbiology* 1998; 16(4):138-142.
Ref ID: 185
23. Kronvall G, Holst E. Calibration of the disk diffusion test for trovafloxacin susceptibility testing of four anaerobic species. *Clinical Microbiology and Infection* 2000; 6(4):195-201.
Ref ID: 186
24. Wu SW, Dornbusch K, Kronvall G. Genetic Characterization of Resistance to Extended-Spectrum β-Lactams in *Klebsiella oxytoca* Isolates Recovered from Patients with Septicemia at Hospitals in the Stockholm Area. *Antimicrobial Agents and Chemotherapy* 1999; 43(5):1294-1297.
Ref ID: 187
25. Wu SW, Dornbusch K, Kronvall G, Norgren M. Characterization and Nucleotide Sequence of a *Klebsiella oxytoca* Cryptic Plasmid Encoding a

CMY-Type β -lactamase: Confirmation that the Plasmid-Mediated Cephamicinase Originated from the *Citrobacter freundii* AmpC β -lactamase. *Antimicrobial Agents and Chemotherapy* 1999; 43(6):1350-1357.
Ref ID: 188

26. Rylander M, Walder M, Lind-Brandberg L, Larsson P, Törnqvist E, Monsen T et al. Trovafloxacin Susceptibility of Aerobic Clinical Bacterial Isolates from Sweden. *Scandinavian Journal of Infectious Diseases* 1999; 31:567-572.
Ref ID: 190
27. Kronvall G, Rylander M, Walder M, Lind-Brandberg L, Larsson P, Törnqvist E et al. Calibration of Disk Diffusion Antibiotic Susceptibility Testing: Species-related Trovafloxacin Interpretive Zone Breakpoints and Selection of Disk Potency. *Scandinavian Journal of Infectious Diseases* 1999; 31:573-578.
Ref ID: 191
28. Oppenheimer M, Kronvall G, Karlsson I, Holst E. Fusidic acid disk diffusion testing of *Clostridium difficile* can be calibrated using SRA, single strain regression analysis. *Scandinavian Journal of Infectious Diseases* 2000; 32(6):633-637.
Ref ID: 193
29. Kronvall G. MIC determination of fusidic acid and of ciprofloxacin using multidisk diffusion tests. *Clinical Microbiology and Infection* 2000; 6:483-489.
Ref ID: 194
30. Sörberg M, Farra A, Ransjö U, Gårdlund B, Rylander M, Settergren B et al. Different trends in antibiotic resistance rates at a university teaching hospital. *Clinical Microbiology and Infection* 2003; 9(5):388-396.
Ref ID: 198
31. Kronvall G, Karlsson I. Fluconazole and voriconazole multidisk testing of *Candida* species for disk test calibration and MIC estimation. *Journal of Clinical Microbiology* 2001; 39(4):1422-1428.
Ref ID: 199
32. Sörberg M, Farra A, Ransjö U, Gårdlund B, Rylander M, Wallén L et al. Long term Antibiotic Resistance Surveillance of Gram-negative Pathogens Suggests that Temporal Trends can be Used as a Resistance Warning System. *Scandinavian Journal of Infectious Diseases* 2002; 34(5):372-378.
Ref ID: 200

33. Myhre EB, Kronvall G. High precision of disk tests reveals microheterogeneity of antibiotic susceptibility. 6 Suppl 1 ed. 2000. 109-110. Ref ID: 202
34. Olsson-Liljequist B, Kõljalg S, Karlsson I, Kronvall G. Calibration of fusidic acid disk diffusion susceptibility testing of *Staphylococcus aureus*. APMIS 2002; 110:690-696. Ref ID: 203
35. Kronvall G, Kahlmeter G, Myhre E, Galas MF. New method for normalized interpretation of antimicrobial resistance from disk test results for surveillance purposes. Clinical Microbiology and Infection 2002; 8, Suppl. 1:234. Ref ID: 204
36. Kronvall G, Kahlmeter G, Myhre E, Galas MF. A new method for normalized interpretation of antimicrobial resistance from disk test results for comparative purposes. Clinical Microbiology and Infection 2003; 9(2):120-132. Ref ID: 206
37. Kronvall G. Determination of the real standard distribution of susceptible strains in zone histograms. International Journal of Antimicrobial Agents 2003; 22:7-13. Ref ID: 207
38. Joneberg J, Rylander M, Galas MF, Carlos C, Kronvall G. Analysis of parameters and validation of method for normalized interpretation of antimicrobial resistance. International Journal of Antimicrobial Agents 2003; 21(6):525-535. Ref ID: 208
39. Paradisi F, Bartoloni A, Falkenberg T, Gotuzzo E, Gamboa B H, Vallejos B Y et al. Evaluation of a Rapid Screening Method for Detection of Antimicrobial Resistance in the Commensal *Escherichia coli* Microbiota. 2003. 178. Ref ID: 224
40. Bartoloni A, Benedetti M, Pallecchi L, Larsson M, Mantella A, Strohmeyer M et al. Evaluation of a rapid screening method for detection of antimicrobial resistance in the commensal microbiota of the gut. Transactions of the Royal Society of Tropical Medicine and Hygiene 2006; 100:119-125. Ref ID: 225
41. Turnidge J, Kahlmeter G, Kronvall G. Statistical characterisation of bacterial wild type distributions of MIC-values and the determination of epidemiological

cut-off values. *Clinical Microbiology and Infection* 2006; 12(5):418-425.
Ref ID: 233

42. Kronvall G, Larsson M, Borén C, Kahlmeter G, Bartoloni A, Rossolini GM et al. Extended antimicrobial resistance screening of the dominant faecal *Escherichia coli* and of rare resistant clones. *International Journal of Antimicrobial Agents* 2005; 26(6):473-478.
Ref ID: 234
43. Kronvall G, Karlsson I, Walder M, Sörberg M, Nilsson LE. Epidemiological MIC cut-off values for tigecycline calculated from Etest MIC values using normalized resistance interpretation. *Journal of Antimicrobial Chemotherapy* 2006; 57(3):498-505.
Ref ID: 236
44. Grape M, Kristiansson C, Bartoloni A, Gotuzzo E, Kronvall G. Rapid Resistance Screening Method for Detection of Resistance Markers in Dominant Flora and Rare Clones of Faecal Samples. 2005.
Ref ID: 237
45. Smith P, Ruane NM, Douglas I, Carroll C, Kronvall G, Fleming GTA. Impact of inter-lab variation on the estimation of epidemiological cut-off values for disc diffusion susceptibility test data for *Aeromonas salmonicida*. *Aquaculture* 2007; 272:168-179.
Ref ID: 244
46. Kronvall G. Antimicrobial resistance 1979–2009 at Karolinska hospital, Sweden: normalized resistance interpretation during a 30-year follow-up on *Staphylococcus aureus* and *Escherichia coli* resistance development. *APMIS* 2010; 118(9):621-639.
Ref ID: 250
47. Kronvall G. Normalised Resistance Interpretation, NRI, as a tool for establishing epidemiological MIC susceptibility breakpoints. *Journal of Clinical Microbiology* 2010; 48(12):4445-4452.
Ref ID: 252
48. Kronvall G, Giske CG, Kahlmeter G. Setting interpretive breakpoints for antimicrobial susceptibility testing using disk diffusion. *International Journal of Antimicrobial Agents* 2011; 38(4):281-290.
Ref ID: 255
49. Kronvall G, Giske CG, Kahlmeter G. Setting interpretive breakpoints for antimicrobial susceptibility testing using disk diffusion. Appendix A: Supplementary data. *International Journal of Antimicrobial Agents* 2011; 38:281-290.
Ref ID: 256

50. Smith P, Kronvall G. Estimating the precision of disc diffusion antibiotic susceptibility data published by the European committee on antimicrobial susceptibility testing. *APMIS* 2014; 122(11):1096-1101.
Ref ID: 264
51. Smith P, Kronvall G. Effect of incubation temperature and time on the precision of data generated by antibiotic disc diffusion assays. *J Fish Dis* 2015; 38(7):629-636.
Ref ID: 265
52. Smith P, Endris R, Kronvall G, Thomas V, Verner-Jeffreys D, Wilhelm C et al. . Epidemiological cut-off values for *Flavobacterium psychrophilum* MIC data generated by a standard test protocol. *J Fish Dis* 2014; 39(2):143-154.
Ref ID: 266
53. Smith P, Kronvall G. How many strains are required to set an epidemiological cut-off value for MIC values determined for bacteria isolated from aquatic animals? *Aquaculture International* 2015; 23:465-470.
Ref ID: 269
54. Kronvall G, Smith P. Normalized resistance interpretation, the NRI method. Review of NRI disc test applications and guide to calculations. *APMIS* 2016; 124(12):1023-1030.
Ref ID: 270
55. Callens B, Dewulf J, Kronvall G, Catry B, Haesebrouck F, Boyen F. Antimicrobial resistance surveillance in *Escherichia coli* by using normalized resistance interpretation. *Veterinary Microbiology* 2016; 197:1-7.
Ref ID: 271
56. Smith P, Finnegan W, Ngo T, Kronvall G. Influence of incubation temperature and time on the precision of MIC and disc diffusion antimicrobial susceptibility test data. *Aquaculture* 2018; 490:19-24.
Ref ID: 272
57. Kronvall G, Baron S, Larvor E, Rudas-Villarreal C, Hobson J, Smith P. Single strain Regression Analysis evaluating disc potencies of flumequine and enrofloxacin for testing *Aeromonas sobria* and *Vibrio anguillarum*. *APMIS* 2019; 127:570-576.
Ref ID: 273

Ref.ID numbering refers to the numbers in the bibliography of G.Kronvall.